# Fluted Pedestal Table 60" Round Plank Top 2903AFGAC

**Glazed Antique Cherry Finish** 

Assembly Instructions



#### Congratulations!

This fine piece of furniture will make a handsome addition to your home. For the best results, start by reading the Assembly Instructions **before** you begin your project.

For normal household use only. **NOT** recommended for commercial use.



Do not sit, stand or climb on this piece of furniture.

**DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.** 

P.O. Box 2827



#### **CALL US FIRST!**

DO NOT RETURN ITEM TO STORE

**Service Policy:** We will replace parts which are defective, missing or damaged. Please contact Whittier Wood Products customer service department directly (by phone, fax, mail or E-mail) for replacement parts.

**Hours:** Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). A message can be left 24 hours a day, 7 days a week.

**To Order:** Provide the complete furniture model number, part letter, production code, quantity needed, reason for replacement and your full name and address along with a telephone number in case we need to contact you.

Parts ship from our Eugene, Oregon factory within 1 or 2 business days from the time we receive the request. Please allow 5-10 business days for delivery.

800-653-3336

Outside U.S. or Canada: 541- 687- 0213

Fax: 541-687-2060 • www.whittierwood.com

Mail: P.O. Box 2827 • Eugene, Oregon 97402, U.S.A

#### **IMPORTANT NOTES:**

- Store the item: 1) in the box; 2) in a dry place; 3) in temperatures ranging from 40° to 90°. (Not on a cold, possibly damp, cement floor.)
- Inspect your furniture periodically for any loose glue joints or screws, or any other problem which may be affecting the stability of your furniture. Tighten or repair as needed.
- This Assembly requires two people.




Production Code:

### 2903AFGAC Fluted Pedestal Table 60" Round Plank Top — Parts List

Before beginning assembly, check that the quantities of parts received match those listed below. If you need to replace a part, please refer to the following list for name and number.

#### 2904AFGAC } x1



A — Top Assembly — Qty.1

H — Cleats (attached) — Qty. 2


I — #8x2" Black Screw (inserted) — Qty.16

J — Apron (attached) — Qty. 2

K — #12x2½" Pan Head Screw (inserted) — Qty.14


L — Insert Nuts (inserted) — Qty. 6

#### 2905AFGAC } x1



B — Pedestal Assembly— Qty.1

M — 5/16"x3" Lag Bolt (inserted)— Qty.1



C — Foot — Qty. 4

R — Top Support (attached) — Qty. 1

N — 3/8"x4" Hanger Bolt (inserted) — Qty. 8

O —  $\frac{1}{2}$ "x2 $\frac{1}{4}$ " Wood Dowel (inserted) — Qty. 4

P — Leveler (attached) — Qty. 4

Q — T-Nut (inserted) — Qty. 8

#### **HARDWARE**



D — ¼"x1¾" Hex Bolt — Qty. 6



F — 1/4" Flat washer — Qty. 10 (4 inserted)



E — 5/16" Flat washer — Qty. 8




G — 3/8" Hex Nut — Qty. 8


## 2903AFGAC Fluted Pedestal Table 60" Round Plank Top ASSEMBLY INSTRUCTIONS

#### **TOOLS REQUIRED:**

Phillips Screwdriver, Mallet or Padded Hammer, 9/16" Wrench and 7/16" Wrench



1. Turn the Pedestal Assembly (B) upside-down so that the Top Support is on the floor. Apply a light film of glue into each of the four dowel holes in the Pedestal Asssembly (see Fig. 1a). With a damp rag, quickly wipe off any excess glue. Insert the Foot (C) into the holes on the Pedestal Assembly (B). The Hanger Bolts should go all the way through the base. Gently tap feet into place with padded hammer. Fasten in place with 5/16" washer (E) and 3/8" Hex Nut (G).



2. Turn the Top Assembly (A) upside down on a clean, protected surface. Align the holes in the Pedestal Assembly (B) to the holes in the Top Assembly (A) as in Fig. 2 and attach with ½" Flat Washers (F) and ½" x 1¾" Hex Bolts (D). See Fig. 2a. Turn upright and adjust levelers on the feet if needed.