2906AFGAC 48" Pedestal Extension Table

Assembly Instructions



Congratulations!

This fine piece of furniture will make a gorgeous addition to your home. For the best results, read the Assembly Instructions before you begin your project.

For normal household use only. **NOT** recommended for commercial use.

Do not climb, sit or stand on this piece of furniture.

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.



Service Policy: We will replace any part that is defective, missing or damaged during assembly. Please directly contact Whittier Wood Products customer service department (by phone, fax, mail or email) for a replacement part.

Hours: Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). Or you may leave a message 24 hours a day, 7 days a week.

To Order: Provide the complete furniture model number (upper left corner of this page), the part letter, production code, quantity needed, the reason for replacement and your full name and address along with a telephone number in case we need to contact you.

Parts ship from our Eugene, Oregon factory within one or two business days from the time we receive your request. Please allow five to ten business days for delivery.

800-653-3336

Outside U.S. or Canada: 541-687-0213 Fax: 541-687-2060 • www.whittierwood.com Mail: P.O. Box 2827 • Eugene, Oregon 97402, U.S.A.

IMPORTANT NOTES:

- Before you begin your project, completely read the Assembly Instructions.
- Store the parts: 1~ in their box; 2~ in a dry place; 3~ in temperatures that range from 40° to 90° F (not on a cold and possibly damp cement floor).
- Inspect your furniture periodically for any loose glue joints, screws or any other problem that might affect the stability of your furniture. Tighten or repair as needed.
- This assembly requires two people.




P.O. Box 2827 Eugene, OR 97402 USA Production Code:


Rev. 10/09

2906AFGAC 48" Pedestal Extension Table — Parts List

Before beginning assembly, check that the quantities of parts received match those listed below. If you need to replace a part, please refer to the following list for name and number.



2908AFGAC




B — Pedestal — Qty.1


2906AFGAC 48" Pedestal Extension Table ASSEMBLY INSTRUCTIONS

TOOLS REQUIRED:


Phillips Screwdriver, Mallet or Padded Hammer, 9/16" Wrench, Wood Glue




 Place the Top Assembly (A) upside down on a clean protected surface and remove the Feet (C) as seen in Figure 1 and place them off to the side. Unlatch the locks. Turn the top assembly right-side up and pull open the table ends to expose the Leaf Assembly (G). Remove the Leaf Assembly (G) and set it off to the side. See Figure 1a. Remove the foam now, but when you store the leaf, place the foam in between the folded leaves. This will help protect its surface.




2. Turn the Pedestal (B) upside-down so the top end of the pedestal is on the floor. Apply a light film of glue into each of the four dowel holes in the Pedestal. See Figure 2a. Insert the Foot (C) into the holes on the Pedestal (B). With a damp rag, quickly wipe off any excess glue. The Hanger Bolts (Q) should go all the way through the base. Gently tap the foot into place with a padded hammer. Fasten in place with one 5/16" Washer (E) and one 3/8" Hex Nut (F). See Figure 2. Repeat for the other three feet.



 Turn the Pedestal right-side up and line up the pre-drilled holes in the Top Assembly to the pre-drilled holes in the pedestal. Attach using four 5/16"x3" Lag Bolts (D) and four 5/16" Washers (E) as shown in Figures 3 and 3a. To level the table, turn the Adjustable Glides (S) on the bottom of each Foot (C).



4. To insert the leaf, flatten out the Leaf Assembly (G) as shown in Figure 4. Flip open the Apron on each end of the leaf assembly as in Figure 4a and turn it right-side up. Place it in the open space between the table ends and line up the guide pins and holes. Gently push the table ends until the leaf fits snugly. See Figure 4b. Close the locks that are underneath the table.



5. To remove the leaf, release the locks underneath the table. Gently pull away the table ends until the guide pins pull out of the holes. Lift out the leaf and place it upside down on a clean protected surface. See Figure 5. Push flat the apron on each end of the leaf. See Figure 5a. To protect the finish, place foam in between the leaves. Fold the leaf in half as shown in Figure 5b. Place the folded leaf in the storage area underneath the table ends and push the ends tightly shut. See Figure 5c.