
Model #

# 3456AFCAFa Stayton Cocktail Table

AFCAF = Caffè finish Assembly Instructions



#### **IMPORTANT NOTES:**

- For normal household use only. Not recommended for commercial use.
- Do not climb, sit or stand on this piece of furniture.
- . Unload items before you move this unit.
- · Do not overload the drawer or shelf.
- Before you load or move this unit, tighten all screws and supports.
- Before you begin your project, completely read the Assembly Instructions.
- Store this item: 1- in its box; 2- in a dry place; 3- in temperatures that range from 40°F to 90°F (not on a cold and possibly damp cement floor).
- Periodically inspect your furniture for any loose glue joints, screws or any other problem that might affect the stability of your furniture.
  Tighten or repair as needed.
- This assembly requires two people.

### **A** WARNING

#### **Notice to California Customers**

California Prop 65 requires consumer goods to be labeled if any one of 850+ different chemicals or substances, including wood dust, is present even in trace amounts. Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. **Warning**: This product contains a chemical or substance known to the State of California to cause cancer, birth defects or other reproductive harm. *California Health and Safety Code Section 25249.6* 

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.

#### Congratulations!

This fine piece of furniture will make a gorgeous addition to your home. For the best results, read the Assembly Instructions before you begin your project.

### **CALL US FIRST!** Do not return this item to the store

**Service Policy:** We will replace any part that is defective, missing or damaged during assembly. For a replacement part, directly contact Whittier Wood Products customer service department by phone, fax, mail or email.

**Hours:** Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). You may leave a message 24 hours a day, seven days a week.

**To Order:** Provide the finish and furniture model number (upper portion of this page), the part letter, production code, quantity needed, reason for replacement and your full name, address and telephone number.

Parts ship from our Eugene, Oregon factory within one or two business days from the time we receive your request. Please allow five to ten business days for delivery.

**800-653-3336** • Outside the U.S. or Canada: 541-687-0213 • Fax: 541-687-2060 www.whittierwood.com • P.O. Box 2827 • Eugene, Oregon 97402, U.S.A.



Parts List


Please identify the parts and check that quantities received match those on this list. If you need to replace a part, refer to the following letter and part name.

Part	Description		Quantity
Α	Top Assembly (attached)		1
В	Left Front/Right Back Leg	۰	2
С	Right Front/Left Back Leg		2
D	Shelf Assembly		1
Е	Drawer Box (inserted)		1
F	Drawer Face (installed)		1
G	PVC Wheel (installed)		4
Н	Drawer Slides (pre-installed sets)	00 00 00	1
I	Axle Pin (inserted)		4
J	#6 x 3/4" Philtruss Screw (inserted)	Ommor	6
K	#6 x 1/2" Philtruss Screw (inserted)		6
М	#8 x 1-1/4" Pan Head Screw		34 (30 inserted)
Na	#8 x 1-1/2" Machine Screw Tuscan (installed)	{	4
0	#8 Washer (inserted)		23
Р	5/16" Flat Washer	(0)	4
Q	3/8" x 1" Insert Nut (inserted)		4
R	3/8" x 2-1/2" Hex Bolt		4
S	4 x 10mm Insert Nut (inserted)		4
Т	Pull (installed)		2
U	Wood Dowel (inserted)		4
W	Adjustable Angle Bracket (attached)		3
Χ	#8 x 7/8" Black Lo-Profile Screw (inserted)	accent	6
Υ	#10 x 3/4" Pan Head Screw (inserted)	Dumm	9


Assembly Instructions

## Tools Required: Phillips Screwdriver, 9/16" or Adjustable Wrench, Rubber Mallet or Padded Hammer

1. Remove the Drawer (E) from the Top Assembly (A). To remove the drawer, pull up on the left side of the Drawer Release Lever while pushing down on the right Drawer Release Lever. See Figure 1a.




2. Turn the Top Assembly (A) upside-down on a clean, protected surface. Place a Left Front/Right Back Leg (B) and a Right Front/Left Back Leg (C) at the back of the Top Assembly (A), making sure the drilled corners of the legs face toward the Corner Blocks. It is important the sides of the legs exposing the wheel face the drawer opening of the unit. Attach with 5/16" Flat Washers (P) and 3/8" x 2-1/2" Hex Bolts (R). See Figures 2 and 2a.




Assembly Instructions

3. Rotate the Top and Leg assembly so that is sets on the back legs. Turn the Shelf Assembly (D) bottom-side-down and place the dowels into the dowel holes in the Legs. See Figure 3.




4. Using the dowels as guides, place the remaining Left Front/Right Back Leg (B) and Right Front/Left Back Leg (C) in the remaining two corners making sure the drilled corners of the Legs face toward the Corner Blocks. It is important the side of the leg exposing the wheel face toward the back of the unit. See Figure 4.




Assembly Instructions

5. Attach the legs to the Top Assembly with 5/16" Flat Washers (P) and 3/8" x 2-1/2" Hex Bolts (R) See Figures 5 and 5a.




6. Turn the unit onto its top and using the pocket holes as guides, secure the Shelf Assembly (D) to the Legs (B and C) with four #8 x 1-1/4" Pan Head Screws (M). See Figures 6 and 6a.



7. Turn the table upright and insert the Drawer. See Figure 7.





8. The wheels allow the table to easily move away from or toward your seating.

