
# **7137GDRC**

# Northgate King Storage Bed

### **Glazed Dark Chestnut finish**

Assembly Instructions



#### **IMPORTANT NOTES:**

- For normal household use only. Not recommended for commercial use.
- Remove items before you move this unit.
- Do not overload the drawers.
- Before you load or move this unit, tighten all screws and supports.
- Before you begin your project, completely read the Assembly Instructions.
- Store this item: 1- in its box; 2- in a dry place; 3- in temperatures that range from 40°F to 90°F (not on a cold and possibly damp cement floor).
- Periodically inspect your furniture for any loose glue joints, screws or any other problem that might affect the stability of your furniture. Tighten or repair as needed.
- This assembly requires two people.

#### Congratulations!

This fine piece of furniture will make a gorgeous addition to your home. For the best results, read the Assembly Instructions before you begin your project.

#### **DESIGN SUBJECT TO CHANGE WITHOUT NOTICE**

### **CALL US FIRST!** Do not return this item to the store

**Service Policy:** We will replace any part that is defective, missing or damaged during assembly. For a replacement part, contact Whittier Wood Products customer service department by phone, fax, mail or email.

**Hours:** Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). You may leave a message 24 hours a day, seven days a week.

**To Order:** Provide the finish and furniture model number (upper portion of this page), the part letter, production code, quantity needed, reason for replacement and your full name, address and telephone number.

Parts ship from our Eugene, Oregon factory within one or two business days from the time we receive your request. Please allow five to ten business days for delivery

**800-653-3336** • Outside the U.S. or Canada: 541-687-0213 • Fax: 541-687-2060 www.whittierwood.com • P.O. Box 2827 • Eugene, Oregon 97402, U.S.A.



VN	09/11

Parts list

Please identify the parts and check that quantities received match those on this list. If you need to replace a part, refer to the following letter and part name.

## 7140GDRC Headboard Kit (x1)

Part	Description		Quantity
Α	Headboard Assembly		1
В	Headboard Accent (attached)		1
С	Left Bracket (attached)	Territor .	2
D	Right Bracket (attached)	Press	2
E	90° Steel Brace (attached)		2
F	#6 x 3/4" Brass Flat Head Screw (inserted)	<b>Damming</b>	14
G	#8 x 1" Black Screw (inserted)		16
Н	#8 x 1-3/16" Pan Head Screw (inserted)	(*)	9
I	#8 x 1-1/4" Pan Head Screw (inserted)	*)pppppppppppppppppppppppppppppppppppp	2

### 7137GDRC Northgate King Storage Bed Parts list

## 7139GDRC Footboard Kit (x1)

Part	Description		Quantity
С	Left Bracket (attached)	Ce also	2
D	Right Bracket (attached)		2
F	#6 x 3/4" Brass Flat Head Screw (inserted)	<b>Demonstrate</b>	4
G	#8 x 1" Black Screw (inserted)		16
Н	#8 x 1-3/16" Pan Head Screw (inserted)	<b>(*)</b>	9
1	#8 x 1-1/4" Pan Head Screw (inserted)	<b>*</b> )000000000000000000000000000000000000	6
J	Footboard Assembly		1
K	Top Slat		3
_ <u>L</u>	Bottom Slat	•	2
M	Drawer Box (assembled)		2
N	Drawer Face (attached)		2
0	Bottom Deckboard		2
0			2
<u>P</u>	Top Deckboard		1
Q	Top Notched Deckboard		1
R	Small Assembled Foot	- N	2
S T	1/4" x 20mm Insert Nut (inserted)		6
_T	Hanger Bolt (inserted)		2
U	Small Adjustable Glide (installed)		2
V	Large Foot Assembly		2
			_
W	Foot Bracket (attached)		2
Χ	Large Adjustable Glide (installed)		2
Υ	Pull (attached)		2
ZA	M4 x 25mm Machine Screw (installed)		4
ZB	Drawer Slides (pre-installed sets)	°00 °00 °01	2
70	#6 v 1/2" Philtruga Saraw		24 (20 inserted)
ZC ZD	#6 x 1/2" Philtruss Screw	Common Common	(20 inserted)
	#6 x 3/4" Philtruss Screw (inserted)	· · ·	20

### 7137GDRC Northgate King Storage Bed Parts list

## 7139GDRC Footboard Kit (x1)

Part	Description		Quantity
ZE	1/4" x 1-1/2" Hex Bolt		4
ZF	Washer		4
ZG	90° Bracket		2
ZH	#6 x 5/8" Philtruss Screw		32 (8 inserted)
ZI	1/4" x 1/2" Insert Nut (inserted)		2
ZJ	#8 x 1" Lo-Profile Screw (inserted)	amme (	12
ZK	Lever Lock (attached)	d'and	2
ZL	Pad Strip (attached)		6

# 7137GDRC Northgate King Storage Bed Parts list

## 7133GDRC Queen/King Bed Rail Kit (x1)

Part	Description		Quantity
С	Left Bracket (attached)	Teras	4
D	Right Bracket (attached)		4
F	#6 x 3/4" Brass Flat Head Screw (inserted)	Damman	4
G	#8 x 1" Black Screw (inserted)		32
ZM	Left Side Rail		1
ZN	Right Side Rail		1
ZO	Plate (attached)		2


Assembly Instructions




This assembly requires two people.

#### Tools Required: Phillips screwdriver, 7/16" open end or box end wrench.

1. Align the inserts in the Footboard Assembly (J) with predrilled holes in the Large Foot Assemblies (V). Attach as shown in Figure 1 with 1/4" x 1-1/2Hex" Bolts (ZE) and Washers (ZF).




2. To attach the Footboard Assembly (J) to the Left Side Rail (ZM), align the Brackets (C) and slide the Left Side Rail down on to the Footboard Assembly (J). See Figures 2 and 2a.




Assembly Instructions

3. Repeat step two for the Right Side Rail (ZN) and Brackets (D). See Figures 3 and 3a.




4. Align the Brackets on both sides and slide the Rail/Footboard assembly down on to the Headboard (A). See Figure 4.




Assembly Instructions

5. Lock the Footboard Assembly (J) to the Side Rails by fitting the bales of the Lever Locks (ZK) over the Plates (ZO). See Figure 5 and 5a.



Headboard removed for illustration purposes.

6. Attach a Small Assembled Foot (R) to each of the two of the Bottom Slats (L) as shown in Figure 6.




Assembly Instructions



7.

Place the bed at its final location.

8. Position the Bottom Slats (L) on the bottom notched edges of the rails. Adjust the glides on the bottoms of the Small Assembled Foot (R) so they bear weight. See Figure 8.



9. The Bottom Deckboards (O) has a notch-cut on the corner to clear the brackets of the Headboard and a notch-cut centered at the end to clear the Large Foot Assemblies. Slide the notched corners of the Bottom Deckboards (O) over brackets at the headboard end of the assembly as shown in Figure 9. There should be a small gap between each deckboard. Secure with #6x5/8" Philtruss Screws (ZH).






Fig. 9

Assembly Instructions

10. Place the three Top Slats (K) into the slotted brackets of both the Headboard and Footboard as shown in Figure 10. Note that this open area can be used for storage.



11. Attach the center Top Slat (K) to the Headboard and Footboard bracket using a 90° bracket (ZG) and #6 x 1/2" Philtruss Screws (ZC) as shown in Figure 11 and 11a.



Assembly Instructions

12. Place the Top Notched Deckboard (Q) with the notches facing the Headboard. Place the Top Deckboard (P) as shown in Figure 12. There are holes in these two deckboards for easy access to the open storage area below.

